

CS

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/843,914	FEREK-PETRIC, BOZIDAR	
	<b>Examiner</b>	<b>Art Unit</b>	
	Frances P. Oropeza	3762	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to RCE (9/28/04) and Amendment (8/30/04).
  2. ☒ The allowed claim(s) is/are 1,20 and 37-49.
  3. ☒ The drawings filed on 1/9/02 are accepted by the Examiner.
  4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance              |
|   | 9. <input type="checkbox"/> Other _____.   |

**ALLOWANCE**

**EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview between Paul H. McDowall and Frances P. Oropeza on 11/19/04.

The application has been amended as follows:

In claim 1, line 23-24, ", without reference to any direct patient activity sensor input signals" has been deleted.

In claim 20, lines 29-30, ", without reference to any direct patient activity sensor input signals" has been deleted.

In claim 45, lines 27-28, ", without reference to any direct patient activity sensor input signals" has been deleted.

***Request for Continued Examination***

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. The Applicant's submission filed on 8/5/04 has been entered.

Art Unit: 3762

***Drawings***

3. The proposed drawing correction of figure 4, filed on 8/5/04, has been accepted. A proper drawing correction or corrected drawing is required in reply to this Office action to avoid abandonment of the application. The correction to the drawing will not be held in abeyance.

The application having been allowed, a formal drawing of figure 4 including the labels for the boxes/symbols, is required in response to this Office action to avoid abandonment of the application. The correction to the drawing will not be held in abeyance.

***Reasons for Allowance***

4. The final phrase in claims 1, 20 and 45, "without reference to any direct patient activity sensor input signals" has been deleted from the claims because this step does not have antecedent basis in the specification.

***Conclusion***

Any inquiry concerning this or earlier communications from the Examiner should be directed to Fran Oropeza whose telephone number is (571) 571-4953. The Examiner can normally be reached on Monday – Friday from 9 a.m. to 5:30 p.m.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Angela D. Sykes can be reached on (571) 272-4955. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communication and for After Final communications.

Frances P. Oropeza  
Patent Examiner  
Art Unit 3762

380  
11/17/04

*Angela D. Sykes*

ANGELA D. SYKES  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3700